

WHAT IS CLAIMED IS:

1. A network apparatus comprising:

a main device linked to a network represented by the Internet, and

a portable remote controller device for remotely controlling said main device by means of communication, wherein said remote controller device includes:

access destination specifying means for specifying an access destination to said main device; and

display means for displaying information sent from said main device, and wherein

said main device includes:

access means for accessing the access destination specified by said remote controller device and obtaining information therefrom; and

information sending means for sending the information obtained by said access means to said remote controller device.

2. The network apparatus according to Claim 1, wherein:

said remote controller device further includes:

identification code storage means for storing an identification code identifying itself;

said access destination specifying means serving as means for sending said identification code; and

said main device further includes:

access destination storage means for storing the identification code of said remote controller device and the access destination in a one-to-one correspondence; said access means serving as means for accessing the access destination corresponding to the identification code of said remote controller device received.

3. The network apparatus according to Claim 2, wherein said access destination storage means serves as means for storing a mail address as the access destination.

*Sub A-1*  
4. ~~The network apparatus according to any preceding claims 1 to 3, wherein~~  
~~said display means of said remote controller device includes:~~  
~~title displaying means for displaying a title of the information sent from said main device.~~

5. The network apparatus according to Claim 4, wherein said display means of said remote controller device serves as means for, when the title displayed on said title display means is specified, displaying the information corresponding to the title specified.

*Sub A-2* 6. The network apparatus according to any preceding claims 1 to 5, wherein:

said information sending means of said main device sends the information to said remote controller device at an information sending destination after appending the identification code of said remote controller device to the information; and

said remote controller device further includes display disabling means for, when the information sent from said main device to said display means is not appended with its own identification code, disabling display of the information.

*Sub A-3* 7. The network apparatus according to any preceding claims 1 to 6, wherein

said main device and said remote controller device communicate with each other by means of infrared rays.